



BIDS AND AWARDS COMMITTEE (BAC)
BID BULLETIN NO. 1 s. 2023

SUPPLY AND DELIVERY OF UTILITY VEHICLE FOR THE TACLOBAN HERBAL
PHARMACEUTICAL PROCESSING AND MANUFACTURING PLANT

This Supplemental Bid Bulletin No. 1 for the above-mentioned project is issued to clarify, modify, and /or amend the item in the Bidding Documents:

FROM	TO
<div>SECTION V. SPECIAL CONDITIONS OF THE CONTRACT</div> <div>xxx</div> <div>Incidental Services</div> <div>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Supply and Delivery of Various Requirement of Soap Production.</div> <div>xxx</div>	<div>SECTION V. SPECIAL CONDITIONS OF THE CONTRACT</div> <div>Amending the Section V. SPECIAL CONDITIONS OF THE CONTRACT GCC CLAUSE 1, Page 22</div> <div>xxx</div> <div>Incidental Services</div> <div>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <u>Supply And Delivery Of Utility Vehicle For The Tacloban Herbal Pharmaceutical Processing And Manufacturing Plant.</u></div> <div>xxx</div>
<div>SECTION VII. TECHNICAL SPECIFICATIONS</div> <div>Engine Displacement: 2.4L – 2.5L – 2268 – 2499 cc</div>	<div>SECTION VII. TECHNICAL SPECIFICATIONS</div> <div>Amending the Section VII. TECHNICAL SPECIFICATIONS</div> <div>Engine Displacement: 2.4L – 2.5L</div>



PROVISION(S)	CONCERN(S)	RESPONSE(S)
SECTION VII. TECHNICAL SPECIFICATIONS		
Safety Features: SRS Airbags	Removal/Optional – None bearing in Pass/Fail Criterion. Most of this vehicle type (MVP with FB Body) with large load and seating capacity from different vehicle, brands do not or no longer have this feature.	Amending the Safety Features: SRS Airbags as an option to offer.
Safety Features: Side Impact Door Beam	Optional. Open for alternative offer (Reinforced side door for impact load)	Amending the Safety Features: Side Impact Door Beam and/or Reinforced side door for impact load
Fuel Tank Capacity: 55-80 liters	50-80 Liters. Wider range of vehicle option to propose.	Amending the Fuel tank Capacity 50-80 Liters.
Front Suspension: Double Wishbone w/ Coil Spring	Manufacturer's Standard or Independent Wishbone with Coil Spring	Front Suspension requirement is <u>RETAINED.</u>
Rear Suspension: Leaf Spring	Manufacturer's Standard or Rigid Elliptic Leaf Spring	Rear Suspension requirement is <u>RETAINED.</u> <u>Leaf Spring is generic parameter. This would vary on the type of leaf spring suspension offered.</u>

Amendments/inclusions/clarifications made herein shall be considered an integral part of the Bidding Documents.

The BAC shall no longer entertain any questions/requests for clarifications after the issuance of this Bid Bulletin.

Further, please be advised that bids submitted after the deadline shall only be marked "received" for recording purposes, shall not be included in the opening of bids, and shall be returned to the bidder unopened.

For guidance and information of all concerned.


ATTY. CARMENCITA CASTRO-SANTOS
BAC Chairperson

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to this Contract are to be picked up by PITAHC Tacloban personnel at dealer shop/store. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the PITAHC’s Representatives at the Project Site is Mr. Aaron Cumpio of the THPPMP.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: SUPPLY AND DELIVERY OF UTILITY VEHICLE FOR THE TACLOBAN HERBAL PHARMACEUTICAL PROCESSING AND MANUFACTURING PLANT.</p>
	<p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and 2. in the event of termination of production of the spare parts:

Technical Specifications

<i>Technical Specifications / Scope of Work</i>	<i>Statement of Compliance¹ (Check the corresponding compliance per specification. Check A.O for the Alternative Offer and Put the A.O in the Remarks</i>			
Lot 1: Utility Vehicle Quantity: 1 Unit	Yes ()	No ()	A. O ()	
Multi-purpose Utility Vehicle with FB Body	Yes ()	No ()	A. O ()	
<u>Specifications:</u>	Yes ()	No ()	A. O ()	
Brand new; 4x2 (2WD)	Yes ()	No ()	A. O ()	
Seating Capacity: 12 - 16 (persons)	Yes ()	No ()	A. O ()	
Transmission Type: 5 / 6- speed Manual	Yes ()	No ()	A. O ()	
Engine: Euro 4 Diesel Engine, 4 Cylinder 16 valve, DOHC with Turbocharged Intercooler System	Yes ()	No ()	A. O ()	
Engine Displacement: 2.4L - 2.5L	Yes ()	No ()	A. O ()	
Fuel Type: Diesel	Yes ()	No ()	A. O ()	
Fuel Tank Capacity: 50-80 liters	Yes ()	No ()	A. O ()	
Steering System: Power Steering	Yes ()	No ()	A. O ()	
Suspension & Brakes:	Yes ()	No ()	A. O ()	
Front Suspension: Double Wishbone w/ Coil Spring	Yes ()	No ()	A. O ()	

¹ [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Rear Suspension: Leaf Spring	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Front Disc: Ventilated disc	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Rear Breaks: Drum	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Dual AC System: Front & Rear	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Foldable Rear Seat (bench type)	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Entertainment System (Tuner Radio/Player; USB input; speaker)	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Safety Features: Engine Check Warning	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Front Seat Belts	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
SRS Airbags (Optional)	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Side Impact Door Beam and/or Reinforced side door for impact load	<i>Yes ()</i>	<i>No ()</i>	<i>A. O ()</i>	
Including the initial registration of the unit with the Land Transportation Office (LTO) as government vehicle and issuance of red plate	<i>Yes ()</i>	<i>No ()</i>		

Conforme:

_____	_____
Name of the Authorized Representative	Name of Company
Date	
And signature	