



Republic of the Philippines
Department of Health

Philippine Institute of Traditional and Alternative Health Care (PITAHC)



SUPPLY AND DELIVERY OF VARIOUS R&D LABORATORY EQUIPMENT, SUPPLIES AND GLASSWARES

Goods CB 004-2023

09 November 2023

**Sixth Edition
July 2020**

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	2
Section I. Invitation to Bid.....	5
Section II. Instructions to Bidders.....	9
1. Scope of Bid	10
2. Funding Information.....	10
3. Bidding Requirements	10
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	10
5. Eligible Bidders.....	10
6. Origin of Goods	11
7. Subcontracts	11
8. Pre-Bid Conference	11
9. Clarification and Amendment of Bidding Documents	12
10. Documents comprising the Bid: Eligibility and Technical Components	12
11. Documents comprising the Bid: Financial Component	12
12. Bid Prices	12
13. Bid and Payment Currencies	13
14. Bid Security	13
15. Sealing and Marking of Bids	13
16. Deadline for Submission of Bids	14
17. Opening and Preliminary Examination of Bids	14
18. Domestic Preference	14
19. Detailed Evaluation and Comparison of Bids	14
20. Post-Qualification	15
21. Signing of the Contract	15
Section III. Bid Data Sheet	16
Section IV. General Conditions of Contract	19
1. Scope of Contract	20
2. Advance Payment and Terms of Payment	20
3. Performance Security	20
4. Inspection and Tests	20
5. Warranty	21
6. Liability of the Supplier	21
Section V. Special Conditions of Contract	22
Section VI. Schedule of Requirements	27
Section VII. Technical Specifications	29
Section VIII. Checklist of Technical and Financial Documents	34

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



INVITATION TO BID FOR SUPPLY AND DELIVERY OF
VARIOUS R&D EQUIPMENT, SUPPLIES AND
GLASSWARE

1. The **Philippine Institute of Traditional and Alternative Health Care (PITAHC)**, through the *General Appropriations Act FY 2023* intends to apply the sum of **ONE MILLION FOUR HUNDRED TWENTY-NINE THOUSAND THIRTY-SEVEN PESOS (PhP1,429,037.00)** being the total ABC to payments under the contract for *Supply and Delivery of Various R&D Laboratory Equipment, Supplies, and Glassware* with identification number **CB 004-2023**:

Lot No.	Description	Quantity	UOM	ABC per Lot (in PhP)
1	pH Meter	1	Refer to Section VII	89,735.00
2	Safety Cabinet (For Corrosive Chemicals)	1	Refer to Section VII	228,750.00
3	Safety Cabinets (For Flammable Chemicals)	1	Refer to Section VII	219,175.00
4	Refrigerator (12cu. ft)	2	Refer to Section VII	109,333.34
5	Digital Heating Mantle	2	Refer to Section VII	12,889.34
6	Specialized Glasswares	8	Refer to Section VII	88,186.00
7	Laboratory Supplies	28	Refer to Section VII	123,733.35
8	Common Laboratory Glassware and Ceramicware	82	Refer to Section VII	238,487.81
9	Common Laboratory Metalware and Other Accessories	32	Refer to Section VII	68,027.84
10	Personal Protective Equipment	6	Refer to Section VII	24,306.56
11	Chemicals	21	Refer to Section VII	226,412.76
TOTAL				1,429,037.00

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The *PITAHC* now invites bids for the above Procurement Project. Delivery of the Goods is required based on the **Schedule of Requirements**. Bidders should have completed, within **three (3) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from PITAHC and inspect the Bidding Documents at the address given below during between **8:00 a.m. to 4:00 p.m.** from **Mondays to Fridays** except during weekend and declared Holidays and suspension of work.

5. A complete set of Bidding Documents may be acquired by interested Bidders upon payment of the non-refundable fee for the Bidding Documents through:

a) Cashier Section, 1st Floor, PITAHC Building, Matapang Street, East Avenue Medical Center Compound, Barangay Central, Quezon City; or

b) LAND BANK OF THE PHILIPPINES

Current Account Name: **PHILIPPINE INSTITUTE OF TRADITIONAL AND ALTERNATIVE HEALTH CARE**

Account No. : **1872-1035-18**

Upon deposit, the bidders must submit the scanned copy of the deposit slip to bac@pitahe.gov.ph and finance@pitahe.gov.ph.

Payment of the non-refundable fee for the Bidding Documents is in pursuant to the latest Guidelines issued by the GPPB, in the following amount depending on the lot(s) intended to be bid:

Lot	Description	ABC per Lot (in PhP)	Non-Refundable Fee (in PhP)
1	pH Meter	89,735.00	500.00
2	Safety Cabinet (For Corrosive Chemicals)	228,750.00	500.00
3	Safety Cabinets (For Flammable Chemicals)	219,175.00	500.00
4	Refrigerator (12cu. ft)	109,333.34	500.00
5	Digital Heating Mantle	12,889.34	250.00
6	Specialized Glasswares	88,186.00	500.00
7	Laboratory Supplies	123,733.35	500.00
8	Common Laboratory Glassware and Ceramicware	238,487.81	500.00
9	Common Laboratory Metalware and Other Accessories	68,027.84	500.00
10	Personal Protective Equipment	24,306.56	250.00
11	Chemicals	226,412.76	500.00
For Multiple Lots More than PhP500,000.00 but less than 1M			1,000.00
For Multiple Lots more than P1,000,000.00			5,000.00

6. *PITAHC* will hold a Pre-Bid Conference¹ on **17 November 2023, 10:30 AM** at the AVR, 2nd Floor, PITAHC Building, Matapang Street, East Avenue Medical Center Compound, Barangay Central, Quezon City and/or via Zoom Teleconferencing, which shall be open only to those prospective bidders who coordinated and confirmed their attendance to participate to the said Conference.

The Zoom Link shall be provided by PITAHC IT Officer through the BAC Secretariat upon request.

7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, and/or online or electronic submission as indicated below, on or before **01 December 2023; 12:00 NN**. **Late bids shall not be accepted.**
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **01 December 2023; 1:30 PM** at the given address below and/or via *Zoom Teleconferencing*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. *Original hard copies of the Bid submission must be submitted to PITAHC on or before the deadline of the submission and receipt of bids, 01 December 2023. In case of courier delivery, please provide proof of delivery, specified the date of delivery on or before the said deadline of submission and receipt of bids.*
11. PITAHC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:
MS. EDWINA DENISE F. RAMOS
Head, BAC Secretariat
PITAHC Building, Matapang Street, East Avenue Medical Center Compound,
Barangay Central, Quezon City
bac@pitahc.gov.ph
8282-5193/5194 local 542
(+632) 376-3067/376-3068 local 320, Facsimile No.: (+632) 376-3067)
<https://pitahc.gov.ph/>
13. You may visit the following websites:

For downloading of Bidding Documents: [Procurement | PITAHC](#)
For online bid submission: bac@pitahc.gov.ph

09 November 2023

Sgd.

ATTY. CARMENCITA CASTRO-SANTOS
Chairperson, Bids and Awards Committee

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

Section II. Instructions to Bidders

1. Scope of Bid

PITAHC wishes to receive Bids for the *Supply and Delivery of Various R&D Laboratory Equipment, Supplies, and Glassware*, with identification number **CB 004-2023**.

The Procurement Project (referred to herein as “Project”) is composed of **eleven (11) lots**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *Corporate Operating Budget FY 2023* in the amount of **One Million Four Hundred Twenty-Nine Thousand Thirty-Seven Pesos (PhP1,429,037.00)**

2.2. The source of funding is:

- a. GOCC and GFIs, the Corporate Operating Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

PITAHC, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to **at least fifty percent (50%) of the ABC.**

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that **Subcontracting is not allowed.**

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address 2nd Floor, PITAHC Building, Matapang

Street, East Avenue Medical Center Compound, Barangay Central, Quezon City and/or via Zoom Teleconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:

- i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in **Philippine Pesos**.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid **within one hundred twenty (120) days from the date of opening of bids**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

PITAHC may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If PITAHC allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. **An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.**

16. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the

BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as One Project having several lots, which shall be awarded as separate contracts per lot.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause						
5.3	For this purpose, one (1) contract similar to the Project shall be: a. <i>Laboratory Equipment, Supplies, and Glasswares.</i> b. completed within three (3) years prior to the deadline for the submission and receipt of bids.					
7	<i>No further instructions.</i>					
12	The price of the Goods shall be quoted DDP or the applicable International Commercial Terms (INCOTERMS) for this Project.					
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of <i>not less two percent (2%) of ABC per lot</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of <i>not less two percent (5%) of ABC per lot</i> , if bid security is in Surety Bond.					
19.3		Lot No.	Description	Quantity	UOM	ABC per Lot (in PhP)
		1	pH Meter	1	Refer to Section VII	89,735.00
		2	Safety Cabinet (For Corrosive Chemicals)	1	Refer to Section VII	228,750.00
		3	Safety Cabinets (For Flammable Chemicals)	1	Refer to Section VII	219,175.00
		4	Refrigerator (12cu. ft)	2	Refer to Section VII	109,333.34
		5	Digital Heating Mantle	2	Refer to Section VII	12,889.34
		6	Specialized Glasswares	8	Refer to Section VII	88,186.00
		7	Laboratory Supplies	28	Refer to Section VII	123,733.35

		8	Common Laboratory Glassware and Ceramicware	82	Refer to Section VII	238,487.81
		9	Common Laboratory Metalware and Other Accessories	32	Refer to Section VII	68,027.84
		10	Personal Protective Equipment	6	Refer to Section VII	24,306.56
		11	Chemicals	21	Refer to Section VII	226,412.76
		TOTAL				
20	<i>Documents to be submitted during post-Qualification:</i> 1. Latest Annual Income Tax Returns for the Year filed and paid through the BIR Electronic Filing and Payment System (eFPS) 2. Latest Business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS)					
21	<i>No further instructions.</i>					

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to the Contract are DDP delivered Central Office, PITAHC Building, Matapang Street, Brgy. Central Quezon City. In accordance with INCOTERMS.”</p> <p>“The delivery terms applicable to this Contract are delivered Central Office, PITAHC Building, Matapang Street, Brgy. Central Quezon City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is Mr. James David Alcantara of the Research and Development Division.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

	<p>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</p> <p>f. <i>[Specify additional incidental service requirements, as needed.]</i></p> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and 2. in the event of termination of production of the spare parts: <ol style="list-style-type: none"> i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of One (1) year. <i>If not used indicate a time period of three times the warranty period</i>].</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within three (3) months of placing the order.</p>
--	---

	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
	<p>Regular and Recurring Services –</p> <p><i>[In case of contracts for regular and recurring services, state:]</i> “The contract for regular and recurring services shall be subject to a renewal whereby the performance evaluation of the service provider shall be conducted in accordance with Section VII. Technical specifications.”</p>
2.2	The terms of payment shall be full payment within thirty (30) calendar days after inspection and acceptance of all delivered materials and services.
4	The inspections and tests that will be conducted by the Inspection and Acceptance Committee.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot Number	Description	Quantity	Total	Delivered, Weeks/Months
1	pH Meter	1	Unit	One Hundred (100) calendar days upon receipt of the Purchase Order
2	Safety Cabinet (For Corrosive Chemicals)	1	Unit	
3	Safety Cabinets (For Flammable Chemicals)	1	Unit	
4	Refrigerator (12cu. ft)	2	Unit	
5	Digital Heating Mantle	2	Unit	
6	Specialized Glasswares	8	Unit	
7	Laboratory Supplies	28	Unit	
8	Common Laboratory Glassware and Ceramicware	82	Unit	
9	Common Laboratory Metalware and Other Accessories	32	Unit	
10	Personal Protective Equipment	6	Unit	
11	Chemicals	21	Unit	

Delivery Site:

Central Office PITAHC Building, Matapang Street, Brgy. Central, Quezon City

Conforme:

Name of the Authorized Representative
And signature

Name of Company

Date

Section VII. Technical Specifications

Technical Specifications

Technical Specifications	Statement of Compliance ³			
	(Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			
LOT 1: pH Meter	Yes ()	No ()	A. O ()	
Quantity: 1 unit	Yes ()	No ()	A. O ()	
Calibration Points: 1 to 3	Yes ()	No ()	A. O ()	
Display: LCD	Yes ()	No ()	A. O ()	
Power Supply: Battery or Universal AC Adapter (100 - 240 VAC)	Yes ()	No ()	A. O ()	
pH: - 2.00 . . . 16.00 ± 0.01 pH	Yes ()	No ()	A. O ()	
Temperature: - 10.0 . . . 110.0 °C ± 0.1 °C	Yes ()	No ()	A. O ()	
Feature: With stirrer	Yes ()	No ()	A. O ()	
Inclusions: pH buffers (for calibration), electrode, stand/arm, and universal power adapter	Yes ()	No ()	A. O ()	
Certificate of Calibration	Yes ()	No ()	A. O ()	
Documents on the equipment Installation Qualification (IQ), Operational Qualification(OQ) And Performance Qualification (PQ). These Documents shall be submitted to PITAHC as Part of the deliverables.	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Technical Specifications	Statement of Compliance ⁴			
	(Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			

³ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

⁴ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

LOT 2: Safety Cabinet (For Corrosive Chemicals)	Yes ()	No ()	A. O ()	
Quantity: One (1) unit	Yes ()	No ()	A. O ()	
Capacity: 90 gallon (340L)	Yes ()	No ()	A. O ()	
Adjustable shelf: 2 pcs	Yes ()	No ()	A. O ()	
Door: Two (2)	Yes ()	No ()	A. O ()	
Design: Manual closing door	Yes ()	No ()	A. O ()	
Measurements: (at least within the range shown below) Length: 1000 – 1100 mm Width: 800 – 870 mm Height: 1600 – 1660 mm	Yes ()	No ()	A. O ()	
Features:	Yes ()	No ()	A. O ()	
• Safety Warning Sticker	Yes ()	No ()	A. O ()	
• Double wall construction with 1-1/2" air space	Yes ()	No ()	A. O ()	
• 2 on 2" vents with flash arrestors	Yes ()	No ()	A. O ()	
• Flush mounted locking handle	Yes ()	No ()	A. O ()	
• Leak proof sill 2" deep, prevents leakage in the event of accidental spills	Yes ()	No ()	A. O ()	
• Epoxy powder coated	Yes ()	No ()	A. O ()	
• Galvanized steel shelves adjusted on 1/2" centers	Yes ()	No ()	A. O ()	
• PP Trays	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Technical Specifications	Statement of Compliance⁵ (Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks)			
LOT 3: Safety Cabinet (For Flammable Chemicals)	Yes ()	No ()	A. O ()	

⁵ [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Capacity: 12 cu. ft.	Yes ()	No ()	A. O ()	
Design: Two door, Top mounted freezer	Yes ()	No ()	A. O ()	
Power requirements: 220V ± 10%, 60 Hz	Yes ()	No ()	A. O ()	
Features:	Yes ()	No ()	A. O ()	
Energy Efficient Inverter Compressor	Yes ()	No ()	A. O ()	
Independent Temperature Control	Yes ()	No ()	A. O ()	
No-Frost	Yes ()	No ()	A. O ()	
With Spill-Proof Tempered Glass Shelves	Yes ()	No ()	A. O ()	
With Ice tray and Ice cube Container	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Technical Specifications	Statement of Compliance ⁷			
	(Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			
LOT 5: Digital Heating Mantle	Yes ()	No ()	A. O ()	
Quantity: Two (2) units	Yes ()	No ()	A. O ()	
Capacity: 250 mL	Yes ()	No ()	A. O ()	
Max. Temp.: 380 deg C	Yes ()	No ()	A. O ()	
Working time: Continuous	Yes ()	No ()	A. O ()	

⁷ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Power requirements: 220V ± 10%, 60 Hz	Yes ()	No ()	A. O ()	
Features: with stirring function	Yes ()	No ()	A. O ()	
Inclusion: Certificate of Calibration	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative
Name of Company
Date

Technical Specifications	Statement of Compliance⁸ (Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks)			
LOT 6 - SPECIALIZED GLASSWARE	Yes ()	No ()	A. O ()	
1. Clevenger Apparatus, 24/40 Standard Taper Joint	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Size: 24/40 Standard Taper Joint	Yes ()	No ()	A. O ()	
2. Claisen Adapter, 24/40 standard taper joint	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Size: 24/40 standard taper joint	Yes ()	No ()	A. O ()	

⁸ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

3. Distillation Adapter, 75 degrees, 3-way, 24/40 standard taper joint	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Size: 24/40 standard taper joint	Yes ()	No ()	A. O ()	
4. Distillation Adapter, 105 degrees bend, with drip tip, 24/40 standard taper joint	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Size: 24/40 standard taper joint	Yes ()	No ()	A. O ()	
5. Liebig Condenser, 400 mm, 24/40 standard taper joint	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Joint Size: 24mm (outer diameter), 40mm (joint length)	Yes ()	No ()	A. O ()	
6. Chromatography Columns, with Sintered Disc and PTFE Stopcock, 300mm Column length, 30mm column diameter	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (column)	Yes ()	No ()	A. O ()	
Porcelain (Sintered disc)	Yes ()	No ()	A. O ()	
PTFE (Stopcock)	Yes ()	No ()	A. O ()	
7. Ostwald Viscometer	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Calibration: Calibrated, Certificate of Calibration included	Yes ()	No ()	A. O ()	
Capillary Inner Diameter: 1.0 mm	Yes ()	No ()	A. O ()	
8. Soxhlet Extraction Apparatus	Yes ()	No ()	A. O ()	
Quantity: One (1) set	Yes ()	No ()	A. O ()	
Inclusion: 250 mL Round bottom flask, Reflux condenser, Soxhlet Extractor,	Yes ()	No ()	A. O ()	
Extractor I.D.: 38 mm	Yes ()	No ()	A. O ()	
Extractor volume: 85 mL	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Technical Specifications	Statement of Compliance ⁹ (Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			
LOT 7 – LABORATORY SUPPLIES				
1. Autoclavable Sterilization Pouches (Brand New)	Yes ()	No ()	A. O ()	
Quantity: One (1) pack, 100 pieces/pack	Yes ()	No ()	A. O ()	
Type: Polypropylene	Yes ()	No ()	A. O ()	
Size: 20x 22 cm	Yes ()	No ()	A. O ()	
2. Autoclavable Waste Bags (Brand new)	Yes ()	No ()	A. O ()	
Quantity: One (1) pack, 50 pieces/pack	Yes ()	No ()	A. O ()	
Type: Polypropylene	Yes ()	No ()	A. O ()	
Size: 41.5 x 60 cm	Yes ()	No ()	A. O ()	
3. Conical Tube, 50 ml (sterile)	Yes ()	No ()	A. O ()	
Quantity: Two (2) packs, 100's/pack	Yes ()	No ()	A. O ()	
Type: Sterile, plastic, disposable	Yes ()	No ()	A. O ()	
Capacity/size: 50mL	Yes ()	No ()	A. O ()	
4. Conical Tube, 15 ml (sterile)	Yes ()	No ()	A. O ()	

⁹ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Quantity: Two (2) packs, 100's/pack	Yes ()	No ()	A. O ()	
Type: Sterile, plastic, disposable	Yes ()	No ()	A. O ()	
Capacity/size: 15mL	Yes ()	No ()	A. O ()	
5. Disposable Transfer Pipettes 3mL	Yes ()	No ()	A. O ()	
Quantity: One (1) pack, 100's/pack	Yes ()	No ()	A. O ()	
Type: Sterile, disposable, low-density polyethylene	Yes ()	No ()	A. O ()	
Color: transparent	Yes ()	No ()	A. O ()	
Volume: 3mL	Yes ()	No ()	A. O ()	
Size: 18cm	Yes ()	No ()	A. O ()	
Diameter: 1.2cm	Yes ()	No ()	A. O ()	
6. Gauze Roll	Yes ()	No ()	A. O ()	
Quantity: One (1) roll	Yes ()	No ()	A. O ()	
Type: Non-sterile, 100% Cotton, Latex-free	Yes ()	No ()	A. O ()	
Size: Mesh 28 x 24, 2 ply, 36" x 100 yards	Yes ()	No ()	A. O ()	
7. Gloves, Nitrile Blue, 100's, Size: Medium	Yes ()	No ()	A. O ()	
Quantity: Ten (10) boxes, 100's/box	Yes ()	No ()	A. O ()	
Type: Blue Nitrile, latex free, powder free, textured, disposable, non-sterile	Yes ()	No ()	A. O ()	
Size: Medium	Yes ()	No ()	A. O ()	
8. Gloves, Nitrile Blue, 100's, Size: Large	Yes ()	No ()	A. O ()	
Quantity: Five (5) boxes, 100's/box	Yes ()	No ()	A. O ()	
Type: Blue Nitrile, latex free, powder free, textured, disposable, non-sterile	Yes ()	No ()	A. O ()	
Size: Large	Yes ()	No ()	A. O ()	
9. Empty Black Carboy, 20L	Yes ()	No ()	A. O ()	
Quantity: Nine (9) pieces	Yes ()	No ()	A. O ()	
Material: HDPE plastic	Yes ()	No ()	A. O ()	
10. Plastic Pail with cover, with metal handle	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Polyethylene	Yes ()	No ()	A. O ()	
11. Paraffin film, 4" x 125 ft	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	

Material: Paraffin	Yes ()	No ()	A. O ()	
12. Cotton roll, 400g	Yes ()	No ()	A. O ()	
Quantity: Five (5) rolls	Yes ()	No ()	A. O ()	
Material: Cotton	Yes ()	No ()	A. O ()	
13. Aluminum foil, 300m	Yes ()	No ()	A. O ()	
Quantity: Two (2) rolls	Yes ()	No ()	A. O ()	
Material: Aluminum	Yes ()	No ()	A. O ()	
Size: 12" x 300m	Yes ()	No ()	A. O ()	
14. Syringe Filter, 0.22 micron pore size, case of 50	Yes ()	No ()	A. O ()	
Quantity: Three (3) cases	Yes ()	No ()	A. O ()	
Material: Nylon membranes	Yes ()	No ()	A. O ()	
Pore size: 0.22 micron	Yes ()	No ()	A. O ()	
Diameter: 25 mm	Yes ()	No ()	A. O ()	
15. Microcentrifuge tubes with snap cap, 2.0 mL, 500 pieces per pack	Yes ()	No ()	A. O ()	
Quantity: Two (2) packs	Yes ()	No ()	A. O ()	
Material: clear polypropylene	Yes ()	No ()	A. O ()	
16. Lint-free tissue, 280 sheets, 1 ply	Yes ()	No ()	A. O ()	
Quantity: Five (5) pieces	Yes ()	No ()	A. O ()	
Material: Cellulose	Yes ()	No ()	A. O ()	
Size of sheet: 11 cm x 21 cm	Yes ()	No ()	A. O ()	
17. Laboratory mat, benchtop protector, 50 pieces / pack	Yes ()	No ()	A. O ()	
Quantity: One (1) pack	Yes ()	No ()	A. O ()	
Material: Polyethylene	Yes ()	No ()	A. O ()	
Size of mat: 460 x 570 mm	Yes ()	No ()	A. O ()	
18. Filter Paper, 12.5 cm diameter, 100 circles per box, 25 micron	Yes ()	No ()	A. O ()	
Quantity: Two (2) boxes	Yes ()	No ()	A. O ()	
Size: 12.5 cm (diameter)	Yes ()	No ()	A. O ()	
Pore Size: 25 micron	Yes ()	No ()	A. O ()	

19. Filter paper, 125 mm diameter, 100 circles per box, 11 micron pore size	Yes ()	No ()	A. O ()	
Quantity: Five (5) boxes	Yes ()	No ()	A. O ()	
Material: Cellulose	Yes ()	No ()	A. O ()	
Particle retention size: 11 micron	Yes ()	No ()	A. O ()	
Diameter: 125 mm	Yes ()	No ()	A. O ()	
20. Dishwashing liquid soap, unscented, 1 gallon	Yes ()	No ()	A. O ()	
Quantity: One (1) gallon	Yes ()	No ()	A. O ()	
21. Microscope Glass Slides, Frosted, 72pcs per pack	Yes ()	No ()	A. O ()	
Quantity: Ten (10) packs	Yes ()	No ()	A. O ()	
Material: Soda Lime Glass	Yes ()	No ()	A. O ()	
22. Ocular Micrometer	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Optical Glass	Yes ()	No ()	A. O ()	
Compatibility: Compatible with Motic Swiftline IM31 Simple Inverted Microscope	Yes ()	No ()	A. O ()	
Div.: x: 0.1mm ; y: 0.1mm, 10mm/100	Yes ()	No ()	A. O ()	
23. Slide Micrometer, Four (4) measurement scales	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Optical Glass	Yes ()	No ()	A. O ()	
Compatibility: Compatible with Motic Swiftline IM31 Simple Inverted Microscope	Yes ()	No ()	A. O ()	
Size: 25 mm x 75 mm	Yes ()	No ()	A. O ()	
Line resolution: 0.1 mm / 0.01 mm	Yes ()	No ()	A. O ()	
Dot resolution: 0.15 mm/ 0.07 mm	Yes ()	No ()	A. O ()	
24. Rubber Aspirator	Yes ()	No ()	A. O ()	
Quantity: Five (5) pcs	Yes ()	No ()	A. O ()	
Material: Rubber	Yes ()	No ()	A. O ()	
Size: 60mL	Yes ()	No ()	A. O ()	
25. Disposable Syringe, 100 pcs / box, 10 mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) boxes	Yes ()	No ()	A. O ()	
Material: Plastic	Yes ()	No ()	A. O ()	

26. Laboratory Spill kit, for Chemical and Oil, 30 L Absorbing Capacity	Yes ()	No ()	A. O ()	
Quantity: One (1) kit	Yes ()	No ()	A. O ()	
Contents:	Yes ()	No ()	A. O ()	
20 pcs absorbent mat 40cm* 50cm*	Yes ()	No ()	A. O ()	
2 pcs absorbent socks 7.6cm*1.2cm	Yes ()	No ()	A. O ()	
2 pcs absorbent pillow 20cm*25cm	Yes ()	No ()	A. O ()	
1 pair latex gloves	Yes ()	No ()	A. O ()	
2 sets garbage bag & ties	Yes ()	No ()	A. O ()	
1 pair goggles	Yes ()	No ()	A. O ()	
27. First Aid Kit	Yes ()	No ()	A. O ()	
Quantity: One (1) kit	Yes ()	No ()	A. O ()	
Contents:	Yes ()	No ()	A. O ()	
10 x Adhesive Bandage	Yes ()	No ()	A. O ()	
2 x Medical Gauze Sheet	Yes ()	No ()	A. O ()	
1 x Ice Bag	Yes ()	No ()	A. O ()	
10 x Alcohol Disinfectant Sheet	Yes ()	No ()	A. O ()	
4 x Cleaning Wipes	Yes ()	No ()	A. O ()	
1 x Medical Tape	Yes ()	No ()	A. O ()	
1 x Silicone Tourniquet	Yes ()	No ()	A. O ()	
1 x First Aid Insulation Blanket	Yes ()	No ()	A. O ()	
1 x Triangle Bandage	Yes ()	No ()	A. O ()	
1 x PBT Elastic Bandage	Yes ()	No ()	A. O ()	
1 x Plastic Tweezers	Yes ()	No ()	A. O ()	
1 x Scissors	Yes ()	No ()	A. O ()	
5 x Safety Pin	Yes ()	No ()	A. O ()	
1 x Whistle	Yes ()	No ()	A. O ()	
1 x Hand Flashlight	Yes ()	No ()	A. O ()	
1 x Outdoor Knife Card	Yes ()	No ()	A. O ()	
40 x Cotton Swabs	Yes ()	No ()	A. O ()	
1 x First Aid Manual	Yes ()	No ()	A. O ()	
1 x First Aid Bag	Yes ()	No ()	A. O ()	
	Yes ()	No ()	A. O ()	
28. Membrane Filter, Nylon, 0.22 micron, 100pcs/box	Yes ()	No ()	A. O ()	
Quantity: One (1) box	Yes ()	No ()	A. O ()	
Material: Nylon	Yes ()	No ()	A. O ()	
Particle retention size: 0.22 micron	Yes ()	No ()	A. O ()	
Diameter: 47 mm	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Technical Specifications	Statement of Compliance ⁱ (Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			
	Yes ()	No ()	A. O ()	
LOT 8 - LABORATORY SUPPLIES	Yes ()	No ()	A. O ()	
1. Alcohol lamp	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Volume: 150 mL	Yes ()	No ()	A. O ()	
2. Beaker 1000 mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 1000 mL	Yes ()	No ()	A. O ()	
3. Beaker 400 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 400 mL	Yes ()	No ()	A. O ()	
4. Beaker 250 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 250 mL	Yes ()	No ()	A. O ()	
5. Beaker 100 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 100 mL	Yes ()	No ()	A. O ()	

6. Beaker 50 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 50 mL	Yes ()	No ()	A. O ()	
7. Beaker 30 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 30 mL	Yes ()	No ()	A. O ()	
8. Beaker 10 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 10 mL	Yes ()	No ()	A. O ()	
9. Crucible medium wall with cover 30mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Type: porcelain, medium wall	Yes ()	No ()	A. O ()	
Dimension: 42mm x 24mm x 41mm (TxBxH)	Yes ()	No ()	A. O ()	
10. Crystallizing Dish with spout 100 mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, flat bottom	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/sizes: 300mL	Yes ()	No ()	A. O ()	
Dimension: 100mm (O.D of Top) 50mm (Height)	Yes ()	No ()	A. O ()	
11. Crystallizing Dish with spout 90 mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	

Type: Borosilicate glass, flat bottom	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/sizes: 270mL	Yes ()	No ()	A. O ()	
Dimension: 90mm (O.D of Top) 50mm (Height)	Yes ()	No ()	A. O ()	
12. Crystallizing Dish with spout 70 mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, flat bottom	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/sizes: 270mL	Yes ()	No ()	A. O ()	
Dimension: 90mm (O.D of Top) 50mm (Height)	Yes ()	No ()	A. O ()	
13. Density Bottle with Ground Capillary Stopper 25mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/sizes: 25mL	Yes ()	No ()	A. O ()	
14. Density Bottle with Ground Capillary Stopper 10mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/sizes: 10mL	Yes ()	No ()	A. O ()	
15. Density Bottle with Ground Capillary Stopper 5mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/sizes: 5mL	Yes ()	No ()	A. O ()	
16. Desiccator Jar, Heavy glass with desiccator plate, 300mm diameter	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Heavy glass, borosilicate glass with ground-in glass stopcock and a plate with holes over a screen	Yes ()	No ()	A. O ()	

Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Color: Clear Glass	Yes ()	No ()	A. O ()	
Sizes: 240mm (I.D), 140mm (O.D of bottom), 325mm (Total Height)	Yes ()	No ()	A. O ()	
17. Erlenmeyer Flask 1000mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Conical Shape, borosilicate glass, narrow neck with white Graduations	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 1000mL	Yes ()	No ()	A. O ()	
18. Erlenmeyer Flask 500mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Type: Conical Shape, borosilicate glass, narrow neck with white Graduations	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 500mL	Yes ()	No ()	A. O ()	
19. Erlenmeyer Flask 250mL	Yes ()	No ()	A. O ()	
Quantity: Five (5) pieces	Yes ()	No ()	A. O ()	
Type: Conical Shape, borosilicate glass, narrow neck with white Graduations	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 250mL	Yes ()	No ()	A. O ()	
20. Erlenmeyer Flask 50mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Type: Conical Shape, borosilicate glass, narrow neck with white Graduations	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	

Capacity: 50mL	Yes ()	No ()	A. O ()	
21. Erlenmeyer Flask 25mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Conical Shape, borosilicate glass, narrow neck with white Graduations	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 25mL	Yes ()	No ()	A. O ()	
22. Evaporating Dish 60mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Porcelain, high resistant, standard form with lip	Yes ()	No ()	A. O ()	
Capacity: 35mL	Yes ()	No ()	A. O ()	
23. Evaporating Dish 90mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Porcelain, high resistant, standard form with spout	Yes ()	No ()	A. O ()	
Capacity: 100 mL	Yes ()	No ()	A. O ()	
24. Evaporating Dish 110mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Porcelain, high resistant, standard form with spout	Yes ()	No ()	A. O ()	
Capacity: 200 mL	Yes ()	No ()	A. O ()	
25. Filtering Flask, Buchner Thick-walled with upper side arm 500mL	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, temperature resistant, thick-walled, narrow mouth, heavy duty rim, transparent/clear	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Graduation Range: 150 - 500mL	Yes ()	No ()	A. O ()	
Graduation Interval: 50mL	Yes ()	No ()	A. O ()	
Upper Working Temp: 230°C	Yes ()	No ()	A. O ()	
Upper Extreme Temp: 490°C	Yes ()	No ()	A. O ()	
Lower working Temp: -230°C	Yes ()	No ()	A. O ()	

Max. Thermal Shock: 160°C	Yes ()	No ()	A. O ()	
Volume/Capacity: 500mL	Yes ()	No ()	A. O ()	
Diameter of hose: 9mm	Yes ()	No ()	A. O ()	
Height: 210mm	Yes ()	No ()	A. O ()	
26. Filtering Flask, Buchner Thick-walled with upper side arm 250mL	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, temperature resistant, thick-walled, narrow mouth, heavy duty rim, transparent/clear	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Graduation Range: 100 - 250mL	Yes ()	No ()	A. O ()	
Graduation Interval: 50mL	Yes ()	No ()	A. O ()	
Upper Working Temp: 230°C	Yes ()	No ()	A. O ()	
Upper Extreme Temp: 490°C	Yes ()	No ()	A. O ()	
Lower working Temp: -230°C	Yes ()	No ()	A. O ()	
Max. Thermal Shock: 160°C	Yes ()	No ()	A. O ()	
Volume/Capacity: 250mL	Yes ()	No ()	A. O ()	
Diameter of hose: 9mm	Yes ()	No ()	A. O ()	
Height: 160mm	Yes ()	No ()	A. O ()	
27. Filtering Flask, Buchner Thick-walled with upper side arm 125mL	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, temperature resistant, thick-walled, narrow mouth, heavy duty rim, transparent/clear, with graduation	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Upper Working Temp: 230 °C	Yes ()	No ()	A. O ()	
Upper Extreme Temp: 490 °C	Yes ()	No ()	A. O ()	
Lower working Temp: -230 °C	Yes ()	No ()	A. O ()	
Max. Thermal Shock: 160 °C	Yes ()	No ()	A. O ()	
Volume/Capacity: 125mL	Yes ()	No ()	A. O ()	
Diameter of hose: 9mm	Yes ()	No ()	A. O ()	
Height: 120 mm	Yes ()	No ()	A. O ()	

28. Flask, Round Bottom, 24/40 standard taper joint, 1000mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with beaded rim, narrow neck	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Measurement: 24mm (Neck outer diameter), 40mm (Neck height)	Yes ()	No ()	A. O ()	
Capacity: 1000 mL	Yes ()	No ()	A. O ()	
29. Flask, Round Bottom, 24/40 standard taper joint, 500mL	Yes ()	No ()	A. O ()	
Quantity: Six (6) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with beaded rim, narrow neck	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Measurement: 24mm (Neck outer diameter), 40mm (Neck height)	Yes ()	No ()	A. O ()	
Capacity: 500 mL	Yes ()	No ()	A. O ()	
30. Flask, Round Bottom, 24/40 standard taper joint, 250mL	Yes ()	No ()	A. O ()	
Quantity: Six (6) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with beaded rim, narrow neck	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Measurement: 24mm (Neck outer diameter), 40mm (Neck height)	Yes ()	No ()	A. O ()	
Capacity: 250 mL	Yes ()	No ()	A. O ()	
31. Funnel short stem 50mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Short stem, fluted, made of Borosilicate glass, high resistance to chemical attack	Yes ()	No ()	A. O ()	
Stem length: 50mm	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
32. Funnel 75mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Stem length: 75mm	Yes ()	No ()	A. O ()	
33. Funnel 100 mm	Yes ()	No ()	A. O ()	

Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Stem length: 100mm	Yes ()	No ()	A. O ()	
34. Funnel 120 mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Stem length:120 mm	Yes ()	No ()	A. O ()	
35. Graduated Cylinder 1000mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with spout and hexagonal/round base, Class A tolerance	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 1000mL	Yes ()	No ()	A. O ()	
36. Graduated Cylinder 500mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with spout and hexagonal/round base, Class A tolerance	Yes ()	No ()	A. O ()	
Capacity: 500mL	Yes ()	No ()	A. O ()	
37. Graduated Cylinder 100mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with spout and hexagonal/round base, Class A tolerance	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 100mL	Yes ()	No ()	A. O ()	
38. Graduated Cylinder 50mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with spout and hexagonal/round base, Class A tolerance	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 50mL	Yes ()	No ()	A. O ()	

39. Graduated Cylinder 5mL	Yes ()	No ()	A. O ()	
Quantity: Five (5) pieces	Yes ()	No ()	A. O ()	
Type: Borosilicate glass, with spout and hexagonal/round base, Class A tolerance	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 5mL	Yes ()	No ()	A. O ()	
40. L-Glass rod (12 inches)	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Size: 12 inches x 2.5 inches	Yes ()	No ()	A. O ()	
41. L-Glass rod (6 inches)	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Size: 6 inches x 2.5 inches	Yes ()	No ()	A. O ()	
42. Measuring Pipette 50mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/Volume: 50mL	Yes ()	No ()	A. O ()	
Graduation: 5mL	Yes ()	No ()	A. O ()	
43. Measuring Pipette 25mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/Volume: 25mL	Yes ()	No ()	A. O ()	
Graduation: 1mL	Yes ()	No ()	A. O ()	
44. Measuring Pipette 15mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/Volume: 15mL	Yes ()	No ()	A. O ()	

Graduation: 1mL	Yes ()	No ()	A. O ()	
45. Measuring Pipette 5mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/Volume: 5mL	Yes ()	No ()	A. O ()	
Graduation: 0.5mL	Yes ()	No ()	A. O ()	
46. Measuring Pipette 2mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity/Volume: 2mL	Yes ()	No ()	A. O ()	
Graduation: 0.5mL	Yes ()	No ()	A. O ()	
47. Mortar and Pestle with spout 130mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Porcelain, glazed outside except bottom	Yes ()	No ()	A. O ()	
Capacity: 130mL	Yes ()	No ()	A. O ()	
Diameter: 90mm	Yes ()	No ()	A. O ()	
48. Mortar and Pestle with spout 160mL	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Porcelain, glazed outside except bottom	Yes ()	No ()	A. O ()	
Capacity: 160mL	Yes ()	No ()	A. O ()	
Diameter: 120mm	Yes ()	No ()	A. O ()	
49. Petri Dish, Glass, 100 x 15 mm, with cover	Yes ()	No ()	A. O ()	
Quantity: Ten (10) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
50. Petri Dish, Glass, 150 x 15 mm, with cover	Yes ()	No ()	A. O ()	
Quantity: Ten (10) pieces	Yes ()	No ()	A. O ()	

Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
51. Medium Bottle, with Screw Cap, 1000 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 1000 mL	Yes ()	No ()	A. O ()	
52. Medium Bottle, with Screw Cap, 500 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 500 mL	Yes ()	No ()	A. O ()	
53. Medium Bottle, with Screw Cap, 250 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 250 mL	Yes ()	No ()	A. O ()	
54. Medium Bottle, with Screw Cap, 100 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 100 mL	Yes ()	No ()	A. O ()	
55. Medium Bottle, with Screw Cap, amber, 1000 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 1000 mL	Yes ()	No ()	A. O ()	
56. Medium Bottle, with Screw Cap, amber, 500 mL	Yes ()	No ()	A. O ()	

Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 500 mL	Yes ()	No ()	A. O ()	
57. Medium Bottle, with Screw Cap, amber, 250 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 250 mL	Yes ()	No ()	A. O ()	
58. Medium Bottle, with Screw Cap, amber, 100 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass (bottle), polypropylene (cap)	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 100 mL	Yes ()	No ()	A. O ()	
59. Separatory Funnel, pear shaped SQUIBB, with glass stopper and PTFE, 1000 ml	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
60. Stirring Rod, Borosilicate, with wire polished end	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Length: 20 cm	Yes ()	No ()	A. O ()	
61. Test tube, Borosilicate, graduated, 50 ml	Yes ()	No ()	A. O ()	
Quantity: Thirty (30) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 50 mL	Yes ()	No ()	A. O ()	
62. Test tube, Borosilicate, graduated, 25 ml	Yes ()	No ()	A. O ()	

Quantity: Thirty (30) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 25 mL	Yes ()	No ()	A. O ()	
63. Test tube, Borosilicate, graduated, 10 ml	Yes ()	No ()	A. O ()	
Quantity: Thirty (30) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 10 mL	Yes ()	No ()	A. O ()	
64. Test tube, Borosilicate, graduated, 5 ml	Yes ()	No ()	A. O ()	
Quantity: Thirty (30) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 5 mL	Yes ()	No ()	A. O ()	
65. Volumetric Flask, 1000 mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 1000 mL	Yes ()	No ()	A. O ()	
66. Volumetric Flasks, 500 mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 500 mL	Yes ()	No ()	A. O ()	
67. Volumetric Flask, 250 mL	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 250 mL	Yes ()	No ()	A. O ()	
68. Volumetric Flasks, 100 mL	Yes ()	No ()	A. O ()	
Quantity: Five (5) pieces	Yes ()	No ()	A. O ()	

Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 100 mL	Yes ()	No ()	A. O ()	
69. Volumetric Flask, 50 mL	Yes ()	No ()	A. O ()	
Quantity: Seven (7) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 50 mL	Yes ()	No ()	A. O ()	
70. Volumetric Flask, 25 mL	Yes ()	No ()	A. O ()	
Quantity: Ten (10) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 25 mL	Yes ()	No ()	A. O ()	
71. Volumetric Flask, 10 mL	Yes ()	No ()	A. O ()	
Quantity: Ten (10) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 10 mL	Yes ()	No ()	A. O ()	
72. Volumetric Pipette, 10 mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 10 mL	Yes ()	No ()	A. O ()	
73. Volumetric Pipette, 5 mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 5 mL	Yes ()	No ()	A. O ()	
74. Volumetric Pipette, 3 mL	Yes ()	No ()	A. O ()	

Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 3 mL	Yes ()	No ()	A. O ()	
75. Volumetric Pipette, 1 mL	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 1 mL	Yes ()	No ()	A. O ()	
76. Watch Glass, 120 mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Diameter: 120 mm	Yes ()	No ()	A. O ()	
77. Watch Glass, 60 mm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Diameter: 60 mm	Yes ()	No ()	A. O ()	
78. Glass Pasteur Pipette, 7x145 mm, 200pcs / pack	Yes ()	No ()	A. O ()	
Quantity: One (1) pack of 200 pcs	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
79. Flask, Eggplant shaped, 29/38 Standard Taper Joint, 500 mL	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Capacity: 500 mL	Yes ()	No ()	A. O ()	

80. Thimble for Soxhlet Extraction	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Borosilicate glass	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Size: 35 mm Outer Diameter × 90 mm Height	Yes ()	No ()	A. O ()	
81. Burette with straight PTFE stopcock, 50 mL	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Borosilicate glass, with straight PTFE	Yes ()	No ()	A. O ()	
Features: High-quality borosilicate (Laboratory grade)	Yes ()	No ()	A. O ()	
Volume: 50 mL	Yes ()	No ()	A. O ()	
82. Buchner Funnel, for 125mm Filter paper	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Porcelain, glazed	Yes ()	No ()	A. O ()	
Volume: 600 mL	Yes ()	No ()	A. O ()	
Filter plate diameter: 130 mm	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

¹ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Technical Specifications	Statement of Complianceⁱⁱ (Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			
LOT 9 – COMMON LABORATORY METALWARE AND OTHER ACCESSORIES	Yes ()	No ()	A. O ()	

1. Beaker Tong (Rubber Covered)	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Type: Stainless steel with rubber-coated ends	Yes ()	No ()	A. O ()	
Capacity: can hold can hold beakers up to 131mm (Outer Diameter)	Yes ()	No ()	A. O ()	
2. Closed Ring Retort Support Clamp, set of 3	Yes ()	No ()	A. O ()	
Quantity: Three (3) sets, 3 pieces /set	Yes ()	No ()	A. O ()	
Type: Cast Iron support ring with boss head clamp and screw, durable, rust-proof, and corrosion resistant	Yes ()	No ()	A. O ()	
Sizes: 60mm, 80mm, and 100mm (one for each size) can securely hold various sizes of bottles and instruments	Yes ()	No ()	A. O ()	
3. Cork Borers, set of 7	Yes ()	No ()	A. O ()	
Quantity: One (1) set, 7 pieces / set	Yes ()	No ()	A. O ()	
Type: Sterile, new, Steel, copper-plated punch with convenient handle	Yes ()	No ()	A. O ()	
Sizes: 3mm, 5mm, 7mm, 9mm, 11mm, 14mm, and 16mm	Yes ()	No ()	A. O ()	
4. Cork Borer Sharpener	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Type: metal cone on plastic handle with hinged cutter blade set in slot	Yes ()	No ()	A. O ()	
Capacity/sizes: can be used for 4 to 27mm diameter borers	Yes ()	No ()	A. O ()	
5. Digital Timer	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Type: 24 hours with Clock, Loud alarm with Magnetic Backing and Retractable stand, LCD Screen, Large display (Hour, Minute, Second, Count up), Battery operated (AAA battery)	Yes ()	No ()	A. O ()	
LCD Screen size: 2.2 x 1.2 inches	Yes ()	No ()	A. O ()	
6. Forceps with curved tips	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
Working Surface Style: Serrated	Yes ()	No ()	A. O ()	
Curvature: Curved at the tip	Yes ()	No ()	A. O ()	
Measurement: 117mm (4.6")	Yes ()	No ()	A. O ()	
7. Forceps, Straight, General use	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	

Material: Stainless steel	Yes ()	No ()	A. O ()	
Working Surface Style: Serrated	Yes ()	No ()	A. O ()	
Curvature: Straight	Yes ()	No ()	A. O ()	
Measurement: 127mm (5")	Yes ()	No ()	A. O ()	
8. Forceps, Fine-Permanent Sharp	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
Working Surface Style: Serrated	Yes ()	No ()	A. O ()	
Measurement: 150mm (5.9")	Yes ()	No ()	A. O ()	
9. Glass Tube Cutter	Yes ()	No ()	A. O ()	
Quantity: One (1) unit	Yes ()	No ()	A. O ()	
Type: Diecast Zinc with nickel Plating, can cut glass tubes up to 40mm	Yes ()	No ()	A. O ()	
Cutting angle: 90 degrees	Yes ()	No ()	A. O ()	
10. Inoculating Loop	Yes ()	No ()	A. O ()	
Quantity: Five (5) pieces	Yes ()	No ()	A. O ()	
Type: Non-calibrated 26-gauge nickel-chromium wire loop	Yes ()	No ()	A. O ()	
Diameter: 5mm	Yes ()	No ()	A. O ()	
Measurements: Length (handle): 152 mm Length (loop): 44.5 mm	Yes ()	No ()	A. O ()	
11. Inoculating Wire	Yes ()	No ()	A. O ()	
Quantity: Five (5) pieces	Yes ()	No ()	A. O ()	
Type: Needles are made from high quality nichrome wire	Yes ()	No ()	A. O ()	
Length: 6 inches straight	Yes ()	No ()	A. O ()	
12. Test Tube Brush Set, Nylon, Brand New, high Quality, color White, with different sizes, at least 10 pcs / set	Yes ()	No ()	A. O ()	
Quantity: Two (2) Sets, at least 10 pcs /set	Yes ()	No ()	A. O ()	
Material: Nylon	Yes ()	No ()	A. O ()	
13. Test tube holder, plated metal wire	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
14. Test tube rack 50 well 12-13mm, Stainless steel	Yes ()	No ()	A. O ()	

Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
15. Test tube rack 24 well 20-21mm, Stainless steel	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
16. Test tube rack 21 well 30mm, Stainless steel	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
17. Trash bin, bucket Type with Pedal, durable, Yellow Color, Polyethylene, 15L capacity, 28 cm x 21 cm x 38 cm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Polyethylene	Yes ()	No ()	A. O ()	
Capacity: 15 L	Yes ()	No ()	A. O ()	
Dimension: 28 cm x 21 cm x 38 cm	Yes ()	No ()	A. O ()	
Color: Yellow	Yes ()	No ()	A. O ()	
18. Trash bin, bucket Type with Pedal, durable, Blue Color, Polyethylene, 15L capacity, 28 cm x 21 cm x 38 cm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Polyethylene	Yes ()	No ()	A. O ()	
Capacity: 15 L	Yes ()	No ()	A. O ()	
Dimension: 28 cm x 21 cm x 38 cm	Yes ()	No ()	A. O ()	
Color: Blue	Yes ()	No ()	A. O ()	
19. Trash bin, bucket Type with Pedal, durable, Green Color, Polyethylene, 15L capacity, 28 cmx 21 cm x 38 cm	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Polyethylene	Yes ()	No ()	A. O ()	
Capacity: 15 L	Yes ()	No ()	A. O ()	
Dimension: 28 cmx 21 cm x 38 cm	Yes ()	No ()	A. O ()	
Color: Green	Yes ()	No ()	A. O ()	
20. Trash bin, Big with wheels, Roller type, Durable/ Impact resistant, 150Liters capacity, 48cm x 48cm x 100cm, Yellow color	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	

Material: Polyethylene	Yes ()	No ()	A. O ()	
Capacity: 150 L	Yes ()	No ()	A. O ()	
Dimension: 48cm x 48cm x 100cm	Yes ()	No ()	A. O ()	
Color: Yellow	Yes ()	No ()	A. O ()	
21. Tripod Retort Stand	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
Measurements: Base: 85mm Rod diameter: 10mm Rod length: 600mm	Yes ()	No ()	A. O ()	
22. Boiling Flask Rest Stand Round Flask Support Base, Autoclavable	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Polypropylene	Yes ()	No ()	A. O ()	
Diameter: 90 mm	Yes ()	No ()	A. O ()	
23. Alcohol Thermometer	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Borosilicate glass, alcohol	Yes ()	No ()	A. O ()	
Temperature Range: -20 deg C to 110 deg C	Yes ()	No ()	A. O ()	
24. Magnetic Stir Bar, five (5) sizes, four (4) pieces per size	Yes ()	No ()	A. O ()	
Quantity: Twenty (20) pieces	Yes ()	No ()	A. O ()	
Material: PTFE coating	Yes ()	No ()	A. O ()	
Sizes:	Yes ()	No ()	A. O ()	
4 pieces x Length 10mm Diameter 4mm	Yes ()	No ()	A. O ()	
4 pieces x Length 15mm Diameter 6mm	Yes ()	No ()	A. O ()	
4 pieces x Length 20mm Diameter 6mm	Yes ()	No ()	A. O ()	
4 pieces x Length 25mm Diameter 7mm	Yes ()	No ()	A. O ()	
4 pieces x Length 30mm Diameter 7mm	Yes ()	No ()	A. O ()	
25. Keck-style plastic joint clips, for 24/40 standard taper joint	Yes ()	No ()	A. O ()	
Quantity: Ten (10) pieces	Yes ()	No ()	A. O ()	
Material: Delrin plastic	Yes ()	No ()	A. O ()	
Size: For 24/40 standard taper joint	Yes ()	No ()	A. O ()	

26. Polyethylene plug, 24/40 standard taper joint	Yes ()	No ()	A. O ()	
Quantity: Ten (10) pieces	Yes ()	No ()	A. O ()	
Material: Polyethylene	Yes ()	No ()	A. O ()	
27. Wash bottle, 500 mL	Yes ()	No ()	A. O ()	
Quantity: Five (5) pieces	Yes ()	No ()	A. O ()	
Material: PET plastic	Yes ()	No ()	A. O ()	
Capacity: 500 mL	Yes ()	No ()	A. O ()	
28. Wash bottle, 250 mL	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: PET plastic	Yes ()	No ()	A. O ()	
Capacity: 250 mL	Yes ()	No ()	A. O ()	
29. Crucible Tong	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Stainless steel	Yes ()	No ()	A. O ()	
Length: 9"-10"	Yes ()	No ()	A. O ()	
30. Burette Clamp Plastic Double	Yes ()	No ()	A. O ()	
Quantity: Two (2) pieces	Yes ()	No ()	A. O ()	
Material: Polypropylene Plastic	Yes ()	No ()	A. O ()	
Rubber (Knobs)	Yes ()	No ()	A. O ()	
31. Rotary Pipette Holder	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Polypropylene Plastic	Yes ()	No ()	A. O ()	
Holding capacity: can hold up to 94 pipettes	Yes ()	No ()	A. O ()	
32. Cast Iron Base Support Stand	Yes ()	No ()	A. O ()	
Quantity: Three (3) pieces	Yes ()	No ()	A. O ()	
Material: Cast Iron with acid-resistant coating (Base)	Yes ()	No ()	A. O ()	
Steel (Rod)	Yes ()	No ()	A. O ()	
Size: 5x8" Base, 3/18" x 20" Rod	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Technical Specifications	Statement of Compliance ¹⁰			
	(Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			
LOT 10 - PERSONAL PROTECTIVE EQUIPMENT	Yes ()	No ()	A. O ()	
1. Laboratory Gown, various sizes	Yes ()	No ()	A. O ()	
Quantity: Six (6) pieces in total Three (3) pieces (Size: M) Two (2) pieces (Size: XL) One (1) piece (Size: 7XL)	Yes ()	No ()	A. O ()	
Material: 65% Polyester and 35% Cotton Mix Fabric, Easy Opening and Closing	Yes ()	No ()	A. O ()	
Color: Gray	Yes ()	No ()	A. O ()	
Size and Measurements: M (Length: 103 cm; Chest: 120 cm; Shoulder: 45.5 cm; Sleeve 57 cm) XL (Length: 107 cm; Chest: 136 cm; Shoulder: 50.5 cm; 59 cm)	Yes ()	No ()	A. O ()	

¹⁰ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

7XL (Length: 104.5 cm; Chest: 160 cm; Shoulder: 65.5 cm; Sleeve: 65 cm)				
2. Laboratory Gown, various sizes	Yes ()	No ()	A. O ()	
Quantity: Six (6) pieces in total Three (3) pieces (Size: M) Two (2) pieces (Size: XL) One (1) piece (Size: 7XL)	Yes ()	No ()	A. O ()	
Material: 65% Polyester and 35% Cotton Mix Fabric, Easy Opening and Closing	Yes ()	No ()	A. O ()	
Color: White	Yes ()	No ()	A. O ()	
Size and Measurements: M (Length: 103 cm; Chest: 120 cm; Shoulder: 45.5 cm; Sleeve 57 cm) XL (Length: 107 cm; Chest: 136 cm; Shoulder: 50.5 cm; 59 cm) 7XL (Length: 104.5 cm; Chest: 160 cm; Shoulder: 65.5 cm; Sleeve: 65 cm)	Yes ()	No ()	A. O ()	
3. Safety Goggles, scratch resistant, anti-fog, with UV protection	Yes ()	No ()	A. O ()	
Quantity: Ten (10) pieces	Yes ()	No ()	A. O ()	
Material: Polycarbonate	Yes ()	No ()	A. O ()	
Color: Clear	Yes ()	No ()	A. O ()	
4. Laboratory half mask respirator	Yes ()	No ()	A. O ()	
Quantity: Two (2) Pieces	Yes ()	No ()	A. O ()	
Material: Thermoplastic Elastomer	Yes ()	No ()	A. O ()	
5. Respirator cartridge, for organic solvents, acids, and particulate matter, 1 pair	Yes ()	No ()	A. O ()	
Quantity: Two (2) pairs	Yes ()	No ()	A. O ()	
Material: Glass Fiber	Yes ()	No ()	A. O ()	
Vapor protection: Organic Vapor and Acid Gas	Yes ()	No ()	A. O ()	
6. Safety Helmet, Adjustable	Yes ()	No ()	A. O ()	
Quantity: Four (4) pieces	Yes ()	No ()	A. O ()	
Material: HDPE	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Technical Specifications	Statement of Compliance ¹¹			
	(Check the corresponding compliance per specification. Check A.O for Alternative Offer and Put the A.O in the Remarks			
LOT 11 – CHEMICALS	Yes ()	No ()	A. O ()	
1. High-vacuum silicone grease, 100g/tube	Yes ()	No ()	A. O ()	
Quantity: One (1) piece	Yes ()	No ()	A. O ()	
Material: Siloxane polymer	Yes ()	No ()	A. O ()	
2. Acetonitrile, HPLC Grade, 2.5 L / bottle	Yes ()	No ()	A. O ()	
Quantity: Two (2) bottles	Yes ()	No ()	A. O ()	
Purity / Grade: ≥99.9%, HPLC Grade	Yes ()	No ()	A. O ()	
CAS No.: 75-05-8	Yes ()	No ()	A. O ()	
3. Methanol, HPLC Grade, 1 L / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥99.9%, HPLC Grade	Yes ()	No ()	A. O ()	
CAS No.: 67-56-1	Yes ()	No ()	A. O ()	
4. Isopropanol, HPLC Grade, 1 L/ bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	

¹¹ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Purity / Grade: ≥99.9%, HPLC Grade	Yes ()	No ()	A. O ()	
CAS No.: 67-63-0	Yes ()	No ()	A. O ()	
5. Ethyl Acetate, 2.5L / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥99.5%, ACS reagent	Yes ()	No ()	A. O ()	
CAS No.: 141-78-6	Yes ()	No ()	A. O ()	
6. n-hexane, anhydrous, 1 L / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥95%, anhydrous, ACS reagent	Yes ()	No ()	A. O ()	
CAS No.: 110-54-3	Yes ()	No ()	A. O ()	
7. Silica Gel 60, for column chromatography, 1 Kg / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Particle Size: 0.040-0.063 mm	Yes ()	No ()	A. O ()	
Pore size: 60 Å mean pore size	Yes ()	No ()	A. O ()	
CAS No.: 112926-00-8	Yes ()	No ()	A. O ()	
8. Sea sand, washed, 500 g / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Material: Silicon dioxide	Yes ()	No ()	A. O ()	
CAS No.: 14808-60-7	Yes ()	No ()	A. O ()	
9. Silica Gel with moisture indicator (orange gel), 1 Kg / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Material: Silicon dioxide	Yes ()	No ()	A. O ()	
Particle size: 1 – 3 mm	Yes ()	No ()	A. O ()	
Pore size: 2.0 – 2.5 nm	Yes ()	No ()	A. O ()	
Water absorbing capacity: 250 g / Kg (20°C)	Yes ()	No ()	A. O ()	

10. Formic Acid, 1 L / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥95%, reagent grade	Yes ()	No ()	A. O ()	
CAS Number: 64-18-6	Yes ()	No ()	A. O ()	
11. p-Anisaldehyde, 100 g / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥98%, analytical grade	Yes ()	No ()	A. O ()	
CAS Number: 123-11-5	Yes ()	No ()	A. O ()	
12. TLC Silica Gel 60 F254 Plates, 50 glass plates, 10 x 20cm	Yes ()	No ()	A. O ()	
Quantity: One (1) pack	Yes ()	No ()	A. O ()	
Material: combination of Silica Gel 60 (unmodified) and polymeric binder on glass plates; with fluorescent indicator	Yes ()	No ()	A. O ()	
13. Glacial Acetic Acid, 1 L / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥99%, analytical grade or ACS reagent	Yes ()	No ()	A. O ()	
CAS Number: 64-19-7	Yes ()	No ()	A. O ()	
14. Dragendorff reagent, 100 mL / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purpose: for TLC derivatization	Yes ()	No ()	A. O ()	
CAS Number: 39775-75-2	Yes ()	No ()	A. O ()	
15. Petroleum Ether, 1 L / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥95%, ACS reagent	Yes ()	No ()	A. O ()	
CAS Number: 8032-32-4	Yes ()	No ()	A. O ()	

16. Iron (III) Chloride, 100g / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥97%, reagent grade	Yes ()	No ()	A. O ()	
CAS Number: 7705-08-0	Yes ()	No ()	A. O ()	
17. Sodium Hydroxide, 500g / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥97%, reagent grade	Yes ()	No ()	A. O ()	
CAS Number: 1310-73-2	Yes ()	No ()	A. O ()	
18. Boiling chips granules, 250 g / bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Size: 1-2 mm	Yes ()	No ()	A. O ()	
19. Caffeine, powder, 100 g/bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥99.0%, analytical grade	Yes ()	No ()	A. O ()	
CAS Number: 58-08-2	Yes ()	No ()	A. O ()	
20. Gallic Acid, 100 g/bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: 97.5 – 102.5%, analytical grade	Yes ()	No ()	A. O ()	
CAS Number: 149-91-7	Yes ()	No ()	A. O ()	
21. Quercetin, solid, 10 g/bottle	Yes ()	No ()	A. O ()	
Quantity: One (1) bottle	Yes ()	No ()	A. O ()	
Purity / Grade: ≥95.0%, analytical grade	Yes ()	No ()	A. O ()	
CAS Number: 117-39-5	Yes ()	No ()	A. O ()	

Conforme:

Name of the Authorized Representative

Name of Company

Date

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- ☐ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**

- ☐ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- ☐ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration (**Annex "A"**); **and**
- ☐ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (f) Original duly signed Omnibus Sworn Statement (OSS) (**Annex "B"**) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- ☐ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (i) Original of duly signed and accomplished Financial Bid Form (**Annex "C"**); **and**
- ☐ (j) Original of duly signed and accomplished Price Schedule(s) (**Annex "D"**).

Other documentary requirements under RA No. 9184 (as applicable)

- ☐ (k) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

(Annex “A”)

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION
Project Identification No.: *[Insert number]*

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

(Annex “B”)

Omnibus Sworn Statement (Revised)
[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management

Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
- a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of __, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

(Annex “C”)

Bid Form for the Procurement of Goods
[shall be submitted with the Bid]

BID FORM

Date : _____
Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
_____	_____
_____	_____
_____	_____

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

(Annex “D”)

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ____ of ____

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

(Annex “D”)

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page ____ of ____

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

ⁱ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

ⁱⁱ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

