

Republic of the Philippines Department of Health Philippine Institute of Traditional and Alternative Health Care (PITAHC



BIDS AND AWARDS COMMITTEE (BAC)

BID BULLETIN NO. 1 s. 2024 SUPPLY, DELIVERY, INSTALLATION, AND CONFIGURATION OF NEXT-GENERATION FIREWALL NETWORK SECURITY APPLIANCE WITH 3-YEAR LICENSE with Reference No. CB 004-2024

Pursuant to Section 22.5.1 of the Updated 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (RA 9184) and through the initiative of the PITAHC Bids and Awards Committee, this bid bulletin is issued to inform the prospective bidder(s) of the amendments to the below-stated provision in the Bidding Documents:

	FROM			го			
SECTION VII: TECHNICAL SPECIFICATIONS PRODUCT CERTIFICATIONS Page 32		SECTION VII: TECHNICAL SPECIFICATIONS PRODUCT CERTIFICATIONS Page 32					
		The Product Certifications defined.	abbrevi	atio	ns have	been	
Certifications:	V()	No()	Certifications:	Yes ()	No (Y
СВ	Yes ()	No()	CB - Certification	1 03 (1	110 (,
CE	Yes ()	No()	Body				
UKCA	Yes ()	No ()	CE – Conformite	Yes ()	No ()
UL	Yes ()	No()	Europeenne				
FCC	Yes ()	No()	(European				
ISED	Yes ()	No()	Conformity)		040		
VCCI	Yes ()	No()	UKCA – UK	Yes ()	No ()
KC	Yes ()	No ()	Conformity Assessed	**	4	37 2	
RCM	Yes ()	No()	UL – Underwriters	Yes ()	No ()
NOM	Yes ()	No()	Laboratories	17 /	×	NI= /	
Anatel	Yes ()	No()	FCC – Federal	Yes ()	No ()
CCC	Yes ()	No()	Communications				
BSMI	Yes ()	No()	Commission	Van	ĭ	No.)
TEC	Yes ()	No ()	ISED – Innovation,	Yes ()	No ()
SDPPI	Yes ()	No()	Science, and Economic Development Canada				
			VCCI – Voluntary	Yes (í	No ()
			Control Council for	100	,	110 (t.
			Interference				
			KC – Korea	Yes ()	No ()
			Certification	(3		
			RCM - Regulatory	Yes ()	No ()
			Compliance Mark	%	8.		(5)
			(Australia and New				
			Zealand)				
			NOM - Norma Oficial	Yes ()	No ()
			Mexicana (Official				
			Mexican Standard)				
			Anatel – Agencia	Yes ()	No ()
			Nacional de				
			Telecomunicacoes				
			*Brazilian National				
			Telecommunications				
			Agency)	Vand	Ñ	No.	1
			CCC – China	Yes ()	No ().
8			Compulsory Certification				
			BSMI – Bureau of	Yes (Y	No (1
			DSIVII - Bureau oi	1 62 (,	140 (1

G PHI R S

Republic of the Philippines Department of Health

Philippine Institute of Traditional and Alternative Health Care (PITAH) Standards, Metrology and Inspection (Taiwan) TEC-Yes () No() Telecommunication **Engineering Centre** (India) SDPPI - Directorate Yes () No() General of Resources and Equipment for Post and Information Technology (Indonesia) SECTION VII: TECHNICAL SPECIFICATIONS SECTION VII: TECHNICAL SPECIFICATIONS NETWORK PROTECTIONS FEATURES NETWORK PROTECTIONS FEATURES Page 33 Page 33 The requirement was retained. Advanced Threat Protection and Security Heart Advanced Threat Protection and Security Heart SECTION VII: TECHNICAL SPECIFICATIONS SECTION VII: TECHNICAL SPECIFICATIONS NETWORK PROTECTIONS FEATURES NETWORK PROTECTIONS FEATURES Page 33 Page 33 The requirement was retained. Remote Ethernet Device (RED) VPN Remote Ethernet Device (RED) VPN SECTION VII: TECHNICAL SPECIFICATIONS SECTION VII: TECHNICAL SPECIFICATIONS SUPPLIERS PARTNERSHIP SUPPLIERS PARTNERSHIP Page 34 Page 34 The requirement was retained. The Supplier should be an MSP Platinum Partner The Supplier should be an MSP Platinum

Amendments/inclusions/clarifications made herein shall be considered an integral part of the Bidding Documents.

for the product.

For guidance and information of all concerned.

Partner for the product.

ATTY. KEENTH N ALMEÑE

BAC Chairperson

Technical Specifications

Technical Specifications	Compliance to Technical Specification (Check the corresponding box)			
	Compliant	Non-Compliant	Remarks: (Counter Specs Offer)	
SUPPLY, DELIVERY, INSTALLATION, AND CONFIGURATION OF NEXT- GENERATION FIREWALL NETWORK SECURITY APPLIANCE WITH 3-YEAR LICENSE	Yes ()	No ()		
ONE (1) PACKAGE	Yes ()	No ()	±.	
Next-Generation Firewall (Network Security Appliance)	Yes ()	No ()		
One (1) unit	Yes ()	No ()		
License: 3 years Subscription	Yes ()	No ()		
PERFORMANCE				
Firewall throughput: 58,000 Mbps	Yes ()	No ()		
Firewall IMIX: 27,000 Mbps	Yes ()	No()		
Firewall Latency (64 byte UDP): 4 μs	Yes ()	No () No ()		
IPS throughput: 14,000 Mbps Threat Protection throughput: 3,000	Yes ()	No()		
Mbps NGFW: 12,500 Mbps	Yes ()	No ()		
Concurrent connections: 13,700,000	Yes ()	No ()		
New connections/sec: 257,800	Yes ()	No ()		
IPsec VPN throughput: 31,100 Mbps	Yes ()	No ()		
IPsec VPN concurrent tunnels: 6,500	Yes ()	No ()		
SSL VPN concurrent tunnels: 5,000	Yes ()	No ()		
SSL/TLS Inspection: 3,130 Mbps	Yes ()	No ()		
SSL/TLS concurrent connections: 102,400	Yes ()	No ()		
PHYSICAL INTERFACES	1	37 / 5		
Storage (local quarantine/logs): Integrated min. 240 GB SATA-III SSD	Yes ()	No ()		
Ethernet interfaces (fixed): 8 x GE copper 2 x SFP fiber* 2 x SFP+ 10 GbE fiber*	Yes ()	No ()		
Bypass port pairs: One (1)	Yes ()	No ()		
Management ports: 1 x RJ45 MGMT 1 x	Yes ()	No ()		

COM RJ45 1 x Micro-USB (cable incl.)			
Other I/O ports: 2 x USB 3.0 (front) 1 x	Yes ()	No ()	K. T.
USB 2.0 (rear)			
Number of Flexi Port slots: One (1)	Yes ()	No ()	
Flexi Port modules (optional): 8 port	Yes ()	No ()	
GbE copper 8 port GbE SFP fiber 4 port 10			
GbE SFP+ fiber 4 port GbE copper bypass			
(2 pairs) 4 port GbE copper PoE + 4 port			
GbE copper 4 port 2.5 GbE copper PoE 2			
port GbE Fiber (LC) bypass + 4 port GbE			
SFP Fiber			
Max. total port density (incl. use of	Yes ()	No ()	
modules): Twenty (20)			
Max. Power-over-Ethernet (using Flexi	Yes ()	No ()	
Port module: 1 module: 4 ports, 60W			
max.	N /)	No.()	
Optional add-on connectivity: SFP DSL	Yes ()	No ()	
module (VDSL2) SFP/SFP+ Transceivers	Voc.()	No ()	
Display: Multi-function LCD module	Yes ()	NO()	1
ENVIRONMENT	T		
Power supply:			
Internal auto-ranging AC-DC 100- 240VAC, 3-6A@50-60 Hz External	Yes ()	No ()	
	168()	110 ()	
Redundant PSU Option			
Power consumption: 50 W/170.77 BTU/hr (idle)	Yes ()	No ()	
201 W/686.68 BTU/hr (max.)	103()	1.0 ()	
PoE addition enabled: 76 W/260 BTU/hr	Yes ()	No ()	
(max.)	165()		
Operating temperature: 0°C to 40°C	Yes ()	No()	
(operating) -20°C to +70°C (storage)	,		
Humidity: 10% to 90%, non-condensing	Yes ()	No ()	
PRODUCT CERTIFICATIONS			
Certifications:			
CB - Certification Body	Yes ()	No ()	
CE - Conformite Europeenne (European	Yes ()	No ()	
Conformity)			
UKCA – UK Conformity Assessed	Yes ()	No ()	
UL – Underwriters Laboratories	Yes ()	No()	
FCC - Federal Communications	Yes ()	No ()	
Commission			
ISED - Innovation, Science, and	Yes ()	No ()	
Economic Development Canada		N. / \	
VCCI - Voluntary Control Council for	Yes ()	No ()	
Interference	37 ()	No.()	79
	Yes ()	No ()	
	37 / 3	No.()	
	Yes ()	No ()	
	Vac()	No ()	
Anatel - Agencia Nacional de	168()	140 ()	
refecomunicações "Brazilian National			
	Yes () Yes () Yes () Yes ()	No () No () No () No ()	

Telecommunications Agency)		T		
CCC – China Compulsory Certification	Yes ()		No ()	
BSMI – Bureau of Standards, Metrology	Yes ()		No ()	
and Inspection (Taiwan)	103()		110 ()	
TEC – Telecommunication Engineering	Yes ()		No ()	
Centre (India)	103()		110()	
SDPPI – Directorate General of Resources	Yes ()		No ()	
and Equipment for Post and Information	100()			
Technology (Indonesia)				
BASE FIREWALL				
General Management	Yes ()		No ()	
Zone-based Firewall Features	Yes ()		No ()	
Firewall, Networking and Routing	Yes ()		No ()	
Base Traffic Shaping Quotas	Yes ()		No ()	
Secure Wireless	Yes ()		No ()	
Authentication	Yes ()		No ()	
User Self Service Portal	Yes ()		No ()	
A STATE OF THE STA	Yes ()		No ()	
Base VPN Options Single IPsec and SSL VPN client software	Yes ()		No()	
NETWORK PROTECTIONS FEATURE			110 ()	
			No ()	
Intrusion Preventions (IPS)	Yes ()		No()	
Advanced Threat Protection and Security	Yes ()		NO()	
Heart Beat	Yes ()		No ()	
Remote Ethernet Device (RED) VPN			No ()	
Clientless VPN	Yes ()		NO()	
SANDBOXING FEATURES	1 37 / V		No. ()	
Cloud Sandbox Protection	Yes ()		No ()	
Logging and Reporting	Yes ()		No ()	
WEB PROTECTION			33. 7. 3	
Web Protection and Control	Yes ()		No ()	
Cloud Application Visibility	Yes ())	No ()	
Application Protection and Control	Yes ())	No ()	
Web and App Traffic Shaping	Yes ())	No()	
Second independent malware detection	Yes ())	No ()	
engine for dual-scanning				
EMAIL PROTECTION				
Email Protection and Control	Yes ())	No ()	
E-mail scanning with SMTP, POP3, and	Yes ())	No ()	
IMAP support			39 7 8	
Reputation service with spam outbreak	Yes ()	No ()	
monitoring based on patented Recurrent-				
Pattern-Detection technology	75. / 3		No. / N	
Block spam and malware during the SMTP	Yes ()	No ()	
transaction	X7/	`	No ()	
Live Anti-spam	Yes ()	No ()	
WEB SERVER PROTECTION	T * * * * *	<u> </u>	N-()	
Web Application Firewall Protection	Yes ()	No ()	
Reverse proxy	Yes ()	No ()	
URL hardening engine with deep-linking	Yes ()	No ()	
and directory traversal prevention	NY 2		No.()	
Dual-antivirus engines	Yes ()	No ()	
ADDITIONAL REQUIREMENTS				

MIGRATION: The supplier should			
migrate the existing firewall configuration of the Philippine Institute of Traditional and Alternative Health Care (PITAHC) to the new appliance without compromising the institute's operation.	Yes ()	No ()	
TRAINING: The supplier shall provide a training on technical configuration and maintenance of the equipment to at least two (2) IT personnel of PITAHC including the issuance of Certificate of Training upon completion	Yes ()	No ()	7
TECHNICAL SUPPORT:			
Regular daily pattern updates and firmware updates within the subscription period.	Yes ()	No ()	
Includes 8 x 5 Technical Support Services within the subscription period.	Yes ()	No ()	
Includes 24 X 7 Technical Support Service via remote access assistance through web, phone, email and VPN access. Within (2) hours response time for email support assistance.	Yes ()	No ()	
WARRANTY: Hardware replacement or service unit with the same or higher model shall be provided within 4 hours should the equipment encounter hardware failure.	Yes ()	No ()	
SUPPLIER PARTNERSHIP: The The Supplier Should be an MSP Platinum Partner for the product.	Yes ()	No ()	12
TECHNICAL SUPPORT: The supplier must have at least three (3) technical support engineers / technical staff with valid Certified Engineer Certification and Certified Architect Certification for the latest NGFW.	Yes ()	No ()	
Confirmation			

NGFW.		
Conforme:		
Name of the Authorized Representative	Name of Company	Date